

Package ‘futureverse’

July 22, 2025

Title Easily Install and Load the 'Futureverse'

Version 0.1.0

Imports future, future.apply, furrr, doFuture, progressr

Suggests future.batchtools, future.callr, future.mirai

Description The 'Futureverse' is a set of packages for parallel and distributed process with the 'future' package at its core, cf. Bengtsson (2021) <[doi:10.32614/RJ-2021-048](https://doi.org/10.32614/RJ-2021-048)>. This package is designed to make it easy to install and load multiple 'Futureverse' packages in a single step. This package is intended for end-users, interactive use, and R scripts. Packages must not list it as a dependency - instead, explicitly declare each 'Futureverse' package as a dependency as needed.

URL <https://www.futureverse.org>

License MIT + file LICENSE

Encoding UTF-8

RoxygenNote 7.3.1

NeedsCompilation no

Author Henrik Bengtsson [aut, cre, cph]

Maintainer Henrik Bengtsson <henrikb@braju.com>

Repository CRAN

Date/Publication 2024-06-07 14:10:22 UTC

Contents

futureverse_deps	2
futureverse_packages	2
futureverse_update	3
Index	4

futureverse_deps *List all Futureverse dependencies*

Description

List all Futureverse dependencies

Usage

```
futureverse_deps(recursive = FALSE, repos = getOption("repos"))
```

Arguments

`recursive` If TRUE, will also list all dependencies of tidyverse packages.
`repos` The repositories to use to check for updates. Defaults to `getOption("repos")`.

Value

A [base::data.frame](#) with columns `package`, `cran`, `local`, and `behind`.

futureverse_packages *List all packages in the Futureverse*

Description

List all packages in the Futureverse

Usage

```
futureverse_packages(include_self = TRUE)
```

Arguments

`include_self` Include **futureverse** in the list?

Value

Returns a character vector of package names.

Examples

```
futureverse_packages()
```

futureverse_update	<i>Update Futureverse packages</i>
--------------------	------------------------------------

Description

This will check to see if all Futureverse packages (and optionally, their dependencies) are up-to-date, and will install after an interactive confirmation.

Usage

```
futureverse_update(recursive = FALSE, repos = getOption("repos"))
```

Arguments

recursive	If TRUE, will also list all dependencies of tidyverse packages.
repos	The repositories to use to check for updates. Defaults to <code>getOption("repos")</code> .

Value

Returns nothing; outputs installation instructions, if needed.

Examples

```
## Not run:  
futureverse_update()  
  
## End(Not run)
```

Index

`base::data.frame`, [2](#)

`futureverse_deps`, [2](#)

`futureverse_packages`, [2](#)

`futureverse_update`, [3](#)