

Package ‘rsnell’

July 23, 2025

Version 0.1

Date 2023-02-18

Title Snell Scoring

Description The Snell scoring procedure, implemented in R. This procedure was first described by E.J Snell (1964) <[doi:10.2307/2528498](https://doi.org/10.2307/2528498)> and was later used by Tong et al (1977) <[doi:10.4141/cjas77-001](https://doi.org/10.4141/cjas77-001)> in dairy.

Author Paul F. Petrowski <pfpetrowski@gmail.com>

Maintainer Paul F. Petrowski <pfpetrowski@gmail.com>

RoxygenNote 7.2.1

License MIT + file LICENSE

Imports dplyr, tidyr, tibble, tidyselect

URL <https://github.com/pfpetrowski/rsnell>

Encoding UTF-8

NeedsCompilation no

Repository CRAN

Date/Publication 2023-02-27 16:42:29 UTC

Contents

buildfreqtable	2
snell	3
Index	4

buildfreqtable	<i>Convert raw data to count data for use in snell function</i>
----------------	---

Description

This function will be used to convert the raw data from the database to count data that can be passed into the snell function.

Usage

```
buildfreqtable(data, trait, subgroup, order)
```

Arguments

data	A data frame containing the raw data
trait	A character string specifying the trait to be analyzed
subgroup	A character string specifying the column containing the grouping variable
order	A character vector specifying the order in which the categories of the trait should be placed

Details

This function groups the data by the specified subgroup and trait, and counts the occurrences for each combination. It then reshapes the data into a frequency table.

Value

A frequency table with the specified subgroup as the rownames, the scores of the specified trait as column names, and count as values

Examples

```
library(dplyr)
mydata <- data.frame("Groups" = rep(c("A", "B", "C", "D"), 10),
                    "Scores" = round(runif(40, 0, 5)))
buildfreqtable(data = mydata, trait = "Scores", subgroup = "Groups")
```

snell	<i>Calculate Snell scores</i>
-------	-------------------------------

Description

This function calculates Snell scores given counts of scores by subpopulation

Usage

```
snell(table)
```

Arguments

`table` a frequency table with group labels in rows and the original scores in columns. This can be derived using the `buildfreqtable` function.

Value

a vector of scores corresponding to the columns of the input frequency table.

References

<http://140.136.247.242/~stat2016/stat/NoteOnSnellComp.pdf>

Examples

```
library(dplyr)
mydata <- data.frame("Groups" = rep(c("A", "B", "C", "D"), 10),
                    "Scores" = round(runif(40, 0, 5)))
freqtable <- buildfreqtable(data = mydata, trait = "Scores", subgroup = "Groups")
snell(freqtable)
```

Index

buildfreqtable, [2](#)

snell, [3](#)