

Package ‘sdlrm’

July 23, 2025

Type Package

Title Modified Skew Discrete Laplace Regression for Integer-Valued and Paired Discrete Data

Version 0.1.2

Description Implementation of the modified skew discrete Laplace (SDL) regression model. The package provides a set of functions for a complete analysis of integer-valued data, where the dependent variable is assumed to follow a modified SDL distribution. This regression model is useful for the analysis of integer-valued data and experimental studies in which paired discrete observations are collected.

URL <https://github.com/rdmatheus/sdlrm>

License GPL-3

Encoding UTF-8

LazyData true

Imports Formula ($\geq 1.2.3$), Rfast

RoxygenNote 7.3.2

Depends R (≥ 3.5)

NeedsCompilation no

Author Rodrigo Medeiros [aut, cre]

Maintainer Rodrigo Medeiros <rodrigo.matheus@ufrn.br>

Repository CRAN

Date/Publication 2025-04-08 08:20:02 UTC

Contents

choose_mode	2
disp_test	3
envelope	4
plot.sdlrm	6
predict.sdlrm	8
pss	9

residuals.sdlrm	10
scint	11
sdl	12
sdlrm	15
sdlrm-methods	17
sdl_control	19
summary.sdlrm	20

Index	23
--------------	-----------

choose_mode	<i>Choose the Mode of the Modified Skew Discrete Laplace Regression</i>
-------------	---

Description

Estimation of the mode in a modified skew discrete Laplace (SDL) regression fit via profile log-likelihood.

Usage

```
choose_mode(
  object,
  grid = -5:5,
  trace = TRUE,
  plot = TRUE,
  control = sdl_control(...),
  ...
)

## S3 method for class 'choose_mode'
print(x, ...)

## S3 method for class 'choose_mode'
plot(x, ...)
```

Arguments

object	an object of class "sdlrm", a result of a call to <code>sdlrm</code> .
grid	grid of values that will be used to evaluate the profile log-likelihood function.
trace	logical; if TRUE, a summary with the profile log-likelihood value, the AIC, and the BIC of the fit is displayed.
plot	logical; if TRUE, a graph of the profiled log-likelihood evaluated in the considered grid of values is shown.
control	a list of control arguments specified via <code>sdl_control</code> .
...	further arguments passed to <code>sdl_control</code> .
x	an object of class "choose_mode".

Value

An object of class "choose_mode". More specifically, it returns a list in which each element consists of the fit of the modified SDL regression with each value of the mode specified in `grid`. In addition, it has the elements "logLik" with the vector of log-likelihood values for each adjustment and "grid" with the specified grid of values.

The `print` function summarizes the fits by displaying, for each value in `grid`, the log-likelihood value and the Akaike (AIC) and Bayesian (BIC) information criteria. The `plot` function returns a graph of the profiled likelihood of the mode, highlighting its maximum.

Author(s)

Rodrigo M. R. de Medeiros <<rodrigo.matheus@ufrn.br>>

References

Medeiros, R. M. R., and Bourguignon, M. (2025). Modified skew discrete Laplace regression models for integer valued data with applications to paired samples. *Manuscript submitted for publication*.

Examples

```
# Data set: pss (for description run ?pss)
barplot(table(pss$difference), xlab = "PSS index difference", ylab = "Frequency")
boxplot(pss$difference ~ pss$group, xlab = "Group", ylab = "PSS index difference")

# Fit with a model only for the mean with xi = 0 (default)
fit0 <- sdllrm(difference ~ group, data = pss)

# Choosing the mode on the grid {-10, -9, ..., 0, ..., 9, 10}
fit <- choose_mode(fit0, grid = -10:10)

# Class
class(fit)

# It is possible to recovery the plot:
plot(fit)

# and the trace:
fit

# Fit with xi = 1
fit[[1]]
```

Description

Hypothesis test on constant dispersion in the modified skew discrete Laplace regression.

Usage

```
disp_test(object)
```

Arguments

`object` an object of class "sdlrm", a result of a call to `sdlrm`.

Value

the function `disp_test` returns the values and corresponding asymptotic p -values of the score, Wald, likelihood ratio, and gradient test statistics

References

Medeiros, R. M. R., and Bourguignon, M. (2025). Modified skew discrete Laplace regression models for integer valued data with applications to paired samples. *Manuscript submitted for publication*.

Examples

```
## Data set: pss (for description run ?pss)
barplot(table(pss$difference), xlab = "PSS index difference", ylab = "Frequency")
boxplot(pss$difference ~ pss$group, xlab = "Group", ylab = "PSS index difference")

## Fit a double model (mode = 1)
fit0 <- sdlrm(difference ~ group | group, data = pss, xi = 1)

## Constant dispersion test
disp_test(fit0)
```

envelope

Envelope Plot for the Residuals of a Modified Skew Discrete Laplace Regression Fit

Description

Provides the normal probability plot with simulated envelope of Pearson residuals and randomized quantile residuals resulting from the modified skew discrete Laplace (SDL) regression fit.

Usage

```
envelope(object, nsim = 99, progressBar = TRUE, plot = TRUE, ...)  
  
## S3 method for class 'envelope'  
print(x, ...)  
  
## S3 method for class 'envelope'  
plot(x, type = c("quantile", "pearson"), level = 0.95, ...)
```

Arguments

object, x	an object of class "sd1rm", a result of a call to <code>sd1rm</code> .
nsim	the number of replicates. The default is <code>nsim = 99</code> .
progressBar	logical; if TRUE, a progress bar is displayed giving the progress of making the graph. It can slow down the function considerably in applications with a large sample size.
plot	logical; if TRUE, the envelope plot of the residuals is displayed.
...	further arguments passed to or from other methods.
type	character; specifies which residual should be produced in the envelope plot. The available options are "quantile" (default) and "pearson" $((y - \text{mean}) / \text{sd})$.
level	level of the sample quantile of the residual used in the construction of confidence bands.

Value

`envelope` returns an "sd1rm_envel" object which consists of a list with the following components:

residuals a list with the quantile and pearson residuals resulting from the fit of the SDL regression model.

simulation a list whose components are matrices containing the ordered quantile and pearson residuals of the simulation for the plot envelope.

The method `plot` makes the envelope plot.

Author(s)

Rodrigo M. R. de Medeiros <<rodrigo.matheus@ufrn.br>>

References

Medeiros, R. M. R., and Bourguignon, M. (2025). Modified skew discrete Laplace regression models for integer valued data with applications to paired samples. *Manuscript submitted for publication*.

Examples

```
## Data set: pss (for description run ?pss)
barplot(table(pss$difference), xlab = "PSS index difference", ylab = "Frequency")
boxplot(pss$difference ~ pss$group, xlab = "Group", ylab = "PSS index difference")

## Fit with a model only for the mean (mode = 1)
fit <- sdirm(difference ~ group, data = pss, xi = 1)

## Building the envelope plot
envel <- envelope(fit, plot = FALSE)

# Class
class(envel)
envel

# Plot for the randomized quantile residuals (default)
plot(envel)

# Plot for the Pearson residuals
plot(envel, type = "pearson")
```

plot.sdirm

Diagnostic Plots for the Modified Skew Discrete Laplace Regression

Description

This function provides plots for diagnostic analysis of a modified skew discrete Laplace regression fit.

Usage

```
## S3 method for class 'sdirm'
plot(
  x,
  which = 1:4,
  type = c("quantile", "pearson", "response"),
  ask = prod(graphics::par("mfcol")) < length(which) && grDevices::dev.interactive(),
  pch = "+",
  lty = 2,
  ...
)
```

Arguments

x an object of class "sdirm", a result of a call to [sdirm](#).

which numeric; if a subset of the plots is required, specify a subset of the numbers 1:6.

type	character; specifies which residual should be produced in the envelope plot. The available options are "quantile" (default), "pearson", and "response" (raw residuals, $y - \mu$).
ask	logical; if TRUE, the user is asked before each plot.
pch, lty, ...	graphical parameters (see par)

Details

The plot method for "sdlrm" objects provides six types of diagnostic plots in the following order:

Residuals vs fitted values a plot of the residuals against fitted values.

Residuals vs observation indices. an index plot of the residuals against observation indices.

Normal probability plot a normal probability plot of the residuals.

Fitted vs observed frequencies a bar plot with comparisons of the observed and fitted frequencies.

Sample autocorrelation plot sample autocorrelation function plot of the residuals.

Sample partial autocorrelation plot sample partial autocorrelation function plot of the residuals.

The which argument can be used to select a subset of the implemented plots. Default is which = 1:4.

Value

plot method for "sdlrm" objects returns six types of diagnostic plots.

Author(s)

Francisco F. de Queiroz <<felipeq@ime.usp.br>>

Rodrigo M. R. de Medeiros <<rodrigo.matheus@ufrn.br>>

Examples

```
## Data set: pss (for description run ?pss)
barplot(table(pss$difference), xlab = "PSS index difference", ylab = "Frequency")
boxplot(pss$difference ~ pss$group, xlab = "Group", ylab = "PSS index difference")

## Fit with a model only for the mean (mode = 1)
fit <- sdlrm(difference ~ group, data = pss, xi = 1)

## Available plots (using the randomized quantile residuals):
# Residuals versus fitted values
plot(fit, which = 1)

# Residuals versus observation indices
plot(fit, which = 2)

# Normal Q-Q plot
plot(fit, which = 3)

# Observed versus fitted frequencies
```

```

plot(fit, which = 4)

# Sample autocorrelation function of residuals
plot(fit, which = 5)

# Sample partial autocorrelation of residuals
plot(fit, which = 6)

```

predict.sdlrm

Predict Method for a Modified Skew Discrete Laplace Regression Fit

Description

Obtains predictions from a fitted modified skew discrete Laplace regression object.

Usage

```

## S3 method for class 'sdlrm'
predict(
  object,
  newdata = NULL,
  type = c("response", "dispersion", "variance", "quantile"),
  at = 0.5,
  na.action = stats::na.pass,
  ...
)

```

Arguments

object	an object of class "sdlrm", a result of a call to <code>sdlrm</code> .
newdata	optionally, a data frame in which to look for variables with which to predict. If omitted, the fitted linear predictors are used.
type	the type of prediction required. The default is on the scale of the response variable ("response"), that is, the fitted values (fitted means). The alternative "dispersion" provides the fitted dispersion parameters, while "variance" provides the fitted variances. Finally, the option "quantile" gives the fitted quantiles in the order specified via <code>at</code> .
at	the order of the quantile to be predicted if <code>type = "quantile"</code> . The default is to predict the median, that is, <code>at = 0.5</code> .
na.action	function determining what should be done with missing values in <code>newdata</code> . The default is to predict NA.
...	arguments passed to or from other methods.

Value

A vector with the required predictions.

Author(s)

Rodrigo M. R. de Medeiros <<rodrigo.matheus@ufrn.br>>

References

Medeiros, R. M. R., and Bourguignon, M. (2025). Modified skew discrete Laplace regression models for integer valued data with applications to paired samples. *Manuscript submitted for publication*.

Examples

```
## Data set: pss (for description run ?pss)
barplot(table(pss$difference), xlab = "PSS index difference", ylab = "Frequency")
boxplot(pss$difference ~ pss$group, xlab = "Group", ylab = "PSS index difference")

## Fit a double model (mode = 1)
fit <- sdirm(difference ~ group | group, data = pss, xi = 1)

## Fitted values (fitted means)
means <- predict(fit)
means

## Fitted dispersion parameter
phi <- predict(fit, type = "dispersion")
phi

## Fitted variances
vars <- predict(fit, type = "variance")
vars

## Fitted medians
medians <- predict(fit, type = "quantile")
medians

## Fitted third quartiles
quantiles <- predict(fit, type = "quantile", at = 0.75)
quantiles
```

pss

Stress in Prison

Description

This data set consists of the stress levels presented by 26 individuals in an experimental study conducted by Verdot et al. (2010) in a French penitentiary. The inmates were divided into two groups, one formed by individuals who spontaneously opted to practice sports; and another one with those who did not wish to perform physical activity. The observations consist of the stress levels presented by detainees at the beginning and end of the experiment.

Usage

```
data(pss)
```

Format

A data frame with 26 observations on the following 4 variables.

- `group`: a factor, which identifies whether the individual belongs to the control or the experimental group.
- `pss_before`: stress measurement before training.
- `pss_after`: stress measurement before training.
- `difference`: the difference between the stress levels obtained at the end of the experiment and at the beginning, that is, `pss_after - pss_before`.

Details

To measure the stress level, Verdot et al (2010) used the Perceived Stress Scale (PSS) (Cohen, Kamarck and Mermelstein, 1983), which is a discrete scale and one of the most used psychological tools to measure the levels of perceived non-specific stress in an individual.

References

Cohen, S., Kamarck, T., and Mermelstein, R. (1983). A global measure of perceived stress. *Journal of Health and Social Behavior*, **24**, 385—396.

Verdot, C., Champely, S., Clément, M., and Massarelli, R. (2010). A simple tool to ameliorate detainees' mood and well-being in prison: Physical activities. *International Review on Sport & Violence*, **2**, 83—93.

residuals.sdlrm	<i>Extract Model Residuals for a Modified Skew Discrete Laplace Regression Fit</i>
-----------------	--

Description

Residuals resulting from fitting a modified Laplace discrete skew regression.

Usage

```
## S3 method for class 'sdlrm'
residuals(object, type = c("quantile", "pearson", "response"), ...)
```

Arguments

<code>object</code>	an object of class "sdlrm", a result of a call to <code>sdlrm</code> .
<code>type</code>	character; specifies which residual should be extracted. The available arguments are "quantile" (randomized quantile residuals; default), "pearson" (Pearson residuals, i.e., $(y - \text{mean}) / \text{sd}$), and "response" (raw residuals, i.e., $y - \text{mean}$).
<code>...</code>	further arguments passed to or from other methods.

Value

A vector with the required residuals.

Examples

```
## Data set: pss (for description run ?pss)
barplot(table(pss$difference), xlab = "PSS index difference", ylab = "Frequency")
boxplot(pss$difference ~ pss$group, xlab = "Group", ylab = "PSS index difference")

## Fit with a model only for the mean (mode = 1)
fit <- sdlrm(difference ~ group, data = pss, xi = 1)

## Randomized quantile residuals
rq <- residuals(fit)

## Pearson residuals
rp <- residuals(fit, type = "pearson")

## Raw response residuals
rr <- residuals(fit, type = "response")

cbind(quantile = rq, pearson = rp, raw = rr)
```

scint

Relative Renal Function by Scintigraphy

Description

Data from a study conducted by Domingues et al. (2006) to compare the renal function measurements of 111 patients with either 99mTc-DTPA or 99mTc-EC dynamic scintigraphies with that measured using 99mTc-DMSA static scintigraphy. The measurements reflect the percentage of total renal function in the left kidney and were obtained on a discrete scale.

Usage

```
data(scint)
```

Format

A data frame with 111 observations on the following 4 variables.

- `static`: measurements obtained by static scintigraphy.
- `dynamic`: measurements obtained by dynamic scintigraphy, which may have been performed with the radiopharmaceutical 99mTc-DTPA or 99mTc-EC.
- `difference`: the difference between the renal functions measured using dynamic and static scintigraphies, that is, `dynamic - static`.
- `agent`: a factor with the radiopharmaceutical used in the dynamic scintigraphy, with levels "DTPA" and "EC".

- age: the patient age, in years.
- sex: a factor with the patient gender, with levels "F" and "M".

Details

Renal scintigraphy is a diagnostic imaging method of nuclear medicine used to measure kidney function. It is divided between static and dynamic, which differ in the procedure and the technical evaluation of the results. There are different radiopharmaceuticals used in the exam. For instance, static renal scintigraphies can use the technetium-99m dimercaptosuccinic acid (99mTc-DMSA), while dynamic scintigraphies can use the technetium-99m diethylenetriamine pentaacetic acid (99mTc-DTPA) or the technetium-99m ethylenedicycysteine (99mTc-EC). The static renal agent 99mTc-DMSA is considered the most reliable method for measuring relative renal function (Kawashima et al., 1998; Martínez et al., 2002). However, this agent has drawbacks, such as relatively higher radiation dose (Kibar et al., 2003). Its comparison with different radiopharmaceuticals used in dynamic scintigraphy is of interest in the medical literature.

References

- Domingues, F., Fujikawa, G., Decker, H., Alonso, G., Pereira, J., and Duarte, P. (2006). Comparison of relative renal function measured with either 99mTc-DTPA or 99mTc-EC dynamic scintigraphies with that measured with 99mTc-DMSA static scintigraphy. *International Brazilian Journal of Urology*, **32**, 405—409.
- Kibar, M., Yapar, Z., Noyan, A., and Anarat, A. (2003). Technetium-99m-N, N-ethylenedicycysteine and Tc-99m DMSA scintigraphy in the evaluation of renal parenchymal abnormalities in children. *Annals of Nuclear Medicine*, **17**, 219—225.
- Kawashima, A., Sandler, C. M., and Goldman, S. M. (1998). Current roles and controversies in the imaging evaluation of acute renal infection. *World Journal of Urology*, **16**, 9—17.
- Martínez, M., JM, G. D., FJ, D. V., et al. (2002). Comparative study of differential renal function by DMSA and MAG-3 in congenital unilateral uropathies. *Cirugía Pediátrica*, **15**, 118—121.

sdl

The Modified Skew Discrete Laplace Distribution

Description

Probability mass function, distribution function, quantile function, and a random generation for the modified skew discrete Laplace (SDL) distribution with mean μ , dispersion parameter ϕ , and mode ξ .

Usage

```
dsdl(x, mu, phi, xi = 0, log = FALSE)
psdl(q, mu, phi, xi = 0, lower.tail = TRUE)
qsdl(p, mu, phi, xi = 0, lower.tail = TRUE)
rsdl(n, mu, phi, xi = 0)
```

Arguments

<code>x, q</code>	vector of integer quantiles.
<code>mu</code>	vector of means.
<code>phi</code>	vector of dispersion parameters (greater than $\text{abs}(\mu - \xi)$).
<code>xi</code>	the mode of the distribution, an integer value.
<code>log</code>	logical; if TRUE, probabilities p are given as $\log(p)$.
<code>lower.tail</code>	logical; if TRUE (default), probabilities are $P(X \leq x)$, otherwise, $P(X > x)$.
<code>p</code>	vector of probabilities.
<code>n</code>	number of random values to return.

Details

The SDL distribution was introduced by Kozubowski and Inusah (2006) as the discrete part of the continuous skew Laplace distribution centered at zero (Kotz et al., 2001, Ch. 3). Although the SDL distribution has attractive properties, the discrete version of the zero-centered skew Laplace distribution induces that the mode of the resulting model is always equal to zero.

To overcome this limitation, Medeiros and Bourguignon (2025) proposed to obtain the discrete version of the Laplace skew distribution without setting its location parameter to zero, defining a new probability model that generalizes the SDL distribution.

This set of functions represents the probability mass function, the cumulative distribution function, the quantile function, and a random number generator for the modified SDL distribution parameterized in terms of μ (mean), ϕ (a dispersion parameter), and ξ (the mode of the distribution).

Let X be a discrete random variable following a SDL distribution with mean μ , dispersion parameter ϕ , and mode ξ . The probability mass function of X is

$$P(X = x) = \begin{cases} \frac{1}{1 + \phi} \left(\frac{\phi - \mu + \xi}{2 + \phi - \mu + \xi} \right)^{-(x-\xi)}, & x \in \{\xi - 1, \xi - 2, \dots\}, \\ \frac{1}{1 + \phi} \left(\frac{\phi + \mu - \xi}{2 + \phi + \mu - \xi} \right)^{x-\xi}, & x \in \{\xi, \xi + 1, \xi + 2, \dots\}. \end{cases}$$

The parametric space of this parameterization satisfies the constraint $\mu \in \mathbb{R}$, $\phi > |\mu - \xi|$, and $\xi \in \mathbb{Z}$. Additionally, the expected value and the variance of X are given, respectively, by

$$E(Y) = \mu \quad \text{and} \quad \text{Var}(Y) = \frac{\phi(\phi + 2) + (\mu - \xi)^2}{2}.$$

Value

`dsdl` returns the probability mass function, `psdl` gives the distribution function, `qsdl` gives the quantile function, and `rsdl` generates random observations.

Author(s)

Rodrigo M. R. de Medeiros <<rodrigo.matheus@ufrn.br>>

References

Kotz, S., Kozubowski, T. J., and Podgórski, K. (2001). *The Laplace Distribution and Generalizations: A Revisit with Applications to Communications, Economics, Engineering, and Finance*. Birkhauser, Boston.

Kozubowski, T. J., and Inusah, S. (2006). A skew Laplace distribution on integers. *Annals of the Institute of Statistical Mathematics*, **58**, 555—571.

Medeiros, R. M. R., and Bourguignon, M. (2025). Modified skew discrete Laplace regression models for integer valued data with applications to paired samples. *Manuscript submitted for publication*.

Examples

```
### Probability function ###

# Parameters
mu <- c(-4, 2, 4)
phi <- 6.5
xi <- 2

xvals <- -30:30

# Skewed-left distribution (mu < xi)
plot(xvals, dsdl(xvals, mu[1], phi, xi),
     type = "h", xlab = "x", ylab = "Pmf")

# Symmetric distribution (mu = xi)
plot(xvals, dsdl(xvals, mu[2], phi, xi),
     type = "h", xlab = "x", ylab = "Pmf")

# Skewed-right distribution (mu > 0)
plot(xvals, dsdl(xvals, mu[3], phi, xi),
     type = "h", xlab = "x", ylab = "Pmf")

### Difference between paired samples of non-negative observations ###

# Parameters
mu <- 3
phi <- 4
xi <- 0

# Paired samples of a pre-post treatment experimental study
before <- rgeom(1000, 2 / (2 + phi - mu))
after <- rgeom(1000, 2 / (2 + phi + mu))

# Response variable
y <- after - before

# Barplot
obj <- barplot(prop.table(table(y)),
               xlab = "Response",
               ylab = "Proportion",
```

```

      col = "white",
      ylim = c(0, mean(y == 0) + 0.01))

# Sdl model for the differences
points(obj, dsdl(sort(unique(y)), mu, phi, xi), col = "red", pch = 16)

```

sdlrm

*Modified Skew Discrete Laplace Regression for Integer-Valued Data***Description**

Fit of the modified skew discrete Laplace (SDL) regression model via maximum likelihood for a parameterization of this distribution that is indexed by the mean, a dispersion parameter, and the mode (ξ).

Usage

```

sdlrm(
  formula,
  data,
  subset,
  na.action,
  phi.link = "log",
  xi = 0,
  control = sdl_control(...),
  ...
)

## S3 method for class 'sdlrm'
print(x, digits = max(3, getOption("digits") - 3), ...)

```

Arguments

formula	a symbolic description of the model, of type $y \sim x$ for covariates in mean only, or $y \sim x \mid z$ to enter covariates in the dispersion parameter.
data	an optional data frame containing the variables in the formula. By default the variables are taken from <code>environment(formula)</code> .
subset	an optional vector specifying a subset of observations to be used in the fitting process. (See additional details about how this argument interacts with data-dependent bases in the ‘Details’ section of the model.frame documentation.)
na.action	a function which indicates what should happen when the data contain NAs. The default is set by the <code>na.action</code> setting of options , and is <code>na.fail</code> if that is unset. The ‘factory-fresh’ default is <code>na.omit</code> . Another possible value is <code>NULL</code> , no action. Value <code>na.exclude</code> can be useful.
phi.link	character specification of the link function for the dispersion parameter. The links <code>"log"</code> (default) <code>"sqrt"</code> and <code>"identity"</code> can be used.

<code>xi</code>	the mode of the distribution, an integer value.
<code>control</code>	a list of control arguments specified via <code>sdl_control</code> .
<code>...</code>	arguments passed to <code>optim</code> via <code>sdl_control</code> .
<code>x</code>	a fitted model object of class "sdlrm".
<code>digits</code>	a non-null value for <code>digits</code> specifies the minimum number of significant digits to be printed in values.

Value

The `sdlrm` function returns an object of class "sdlrm", which consists of a list with the following components:

coefficients a list containing the elements "mean" and "dispersion" that consist of the estimates of the coefficients associated with the mean and the dispersion parameter, respectively.

fitted.values a vector with the fitted means.

phi a vector with the fitted dispersion parameters.

phi.link the link function used for the dispersion parameter model.

xi the specified mode for the model.

logLik log-likelihood value of the fitted model.

vcov asymptotic covariance matrix of the maximum likelihood estimator of the model parameters vector.

nobs Sample size.

y the response vector.

x a list with elements "mean" and "dispersion" containing the model matrices from the respective models.

optim.pars object returned by `optim` function in the `sdlrm` function.

call the function call.

formula the formula used to specify the model in `sdlrm`.

terms a list with elements "mean", "dispersion" and "full" containing the terms objects for the respective models.

The `print()` function returns a basic summary of the model fit with the estimated coefficients, the log-likelihood value, the mode specified in the fit, and the Akaike (AIC) and Bayesian (BIC) information criteria.

Author(s)

Rodrigo M. R. de Medeiros <<rodrigo.matheus@ufrn.br>>

References

Medeiros, R. M. R., and Bourguignon, M. (2025). Modified skew discrete Laplace regression models for integer valued data with applications to paired samples. *Manuscript submitted for publication*.

See Also

[summary.sdlrm](#) for more detailed summaries, [residuals.sdlrm](#) to extract residuals from the fitted model, [predict.sdlrm](#) for predictions, including mean and dispersion fitted values, fitted variances, and fitted quantiles, [plot.sdlrm](#) for diagnostic plots. [choose_mode](#) for mode estimation via profile likelihood. [envelope](#) to create normal probability graphs with simulated envelope. [disp_test](#) to test the hypothesis of constant dispersion. Information on additional methods for "sdlrm" objects can be found at [sdlrm-methods](#).

Examples

```
# Data set: pss (for description run ?pss)
barplot(table(pss$difference), xlab = "PSS index difference", ylab = "Frequency")
boxplot(pss$difference ~ pss$group, xlab = "Group", ylab = "PSS index difference")

# Fit with a model only for the mean (mode = 1)
fit0 <- sdlrm(difference ~ group, data = pss, xi = 1)
fit0
summary(fit0)

# Fit a double model (mean and dispersion)
fit <- sdlrm(difference ~ group | group, data = pss, xi = 1)
fit
summary(fit)
```

sdlrm-methods

Extract Information From a Modified Skew Discrete Laplace Regression Fit

Description

Additional methods for "sdlrm" objects.

Usage

```
## S3 method for class 'sdlrm'
model.frame(formula, ...)

## S3 method for class 'sdlrm'
model.matrix(object, parm = c("mean", "dispersion"), ...)

## S3 method for class 'sdlrm'
coef(object, parm = c("mean", "dispersion", "full"), ...)

## S3 method for class 'sdlrm'
vcov(object, parm = c("mean", "dispersion", "full"), ...)

## S3 method for class 'sdlrm'
logLik(object, ...)
```

```
## S3 method for class 'sdlrm'
AIC(object, ..., k = 2)
```

Arguments

formula	a model formula or terms object or an "sdlrm" object.
...	further arguments passed to or from other methods.
object	an object of class "sdlrm", a result of a call to sdlrm .
parm	a character indicating which group of parameters is to be considered in the function. The options are "mean" (default) to obtain the output in relation to the coefficients associated with the mean, "dispersion" to obtain the output in relation to the coefficients associated with the dispersion, or "full" (when applicable) to consider all the parameters,
k	numeric, the penalty per parameter to be used; the default k = 2 is the classical AIC.

Value

- `model.frame` returns a `data.frame` containing the variables required by `formula` and any additional arguments provided via `...`
- `model.matrix` returns the design matrix used in the regression structure, as specified by the `parm` argument.
- `coef` returns a numeric vector of estimated regression coefficients, based on the `parm` argument. If `parm = "full"`, it returns a list with the components "mean" and "dispersion", each containing the corresponding coefficient estimates.
- `vcov` returns the asymptotic covariance matrix of the regression coefficients, based on the `parm` argument.
- `logLik` returns the log-likelihood value of the fitted model.
- `AIC` returns a numeric value representing the Akaike Information Criterion (AIC), Bayesian Information Criterion, or another criterion, depending on `k`.

Author(s)

Rodrigo M. R. de Medeiros <<rodrigo.matheus@ufrn.br>>

Examples

```
# Data set: pss (for description run ?pss)
barplot(table(pss$difference), xlab = "PSS index difference", ylab = "Frequency")
boxplot(pss$difference ~ pss$group, xlab = "Group", ylab = "PSS index difference")

# Fit a double model (mode = 1)
fit <- sdlrm(difference ~ group | group, data = pss, xi = 1)

# Coef
coef(fit)
```

```

coef(fit, parm = "dispersion")
coef(fit, parm = "full")

# vcov
vcov(fit)
vcov(fit, parm = "dispersion")
vcov(fit, parm = "full")

# Log-likelihood value
logLik(fit)

# AIC and BIC
AIC(fit)
AIC(fit, k = log(fit$nobs))

# Model matrices
model.matrix(fit)
model.matrix(fit, "dispersion")

```

sdl_control

Optimization Control Parameters Passed to optim

Description

Optimization parameters passed to `optim` for the fit of an modified skew discrete Laplace (SDL) regression model via `sdlrm`. This function acts in the same spirit as `betareg.control` from the `betareg` package. Its primary purpose is to gather all the optimization control arguments in a single function.

Usage

```

sdl_control(
  method = "BFGS",
  maxit = 8000,
  hessian = FALSE,
  start = NULL,
  reltol = 1e-10,
  ...
)

```

Arguments

<code>method</code>	the method to be used. See "Details" in <code>optim</code> . The default method ("BFGS") is a quasi-Newton method (also known as a variable metric algorithm), specifically that published simultaneously in 1970 by Broyden, Fletcher, Goldfarb and Shanno.
<code>maxit</code>	the maximum number of iterations of the algorithm. Defaults to 2000.
<code>hessian</code>	logical. Should a numerically differentiated Hessian matrix be returned?

start an optional vector with starting values for all parameters for fitting an SDL regression model. It must be passed in the order: (beta, gamma), where beta and gamma are regression coefficients associated with the mean and dispersion regression submodels, respectively.

re1tol relative convergence tolerance. The algorithm stops if it is unable to reduce the value by a factor of $\text{re1tol} * (\text{abs}(\text{val}) + \text{re1tol})$ at a step. Defaults to $1e-10$.

... further arguments to be passed to `optim`.

Value

A list with the arguments specified.

Author(s)

Rodrigo M. R. de Medeiros <<rodrigo.matheus@ufrn.br>>

References

Cribari-Neto, F., and Zeileis, A. (2010). Beta regression in R. *Journal of statistical software*, 34, 1-24.

Examples

```
# Data set: pss (for description run ?pss)
barplot(table(pss$difference), xlab = "PSS index difference", ylab = "Frequency")
boxplot(pss$difference ~ pss$group, xlab = "Group", ylab = "PSS index difference")

## Fit of the model using the Fisher information matrix to obtain the covariance
## matrix of the coefficients
fit1 <- sd1rm(difference ~ group, data = pss, xi = 1)

## Fit of the model using the numerical Hessian matrix provided by optim
fit2 <- sd1rm(difference ~ group, data = pss, xi = 1, hessian = TRUE)

## Compare the reported standard errors
summary(fit1)
summary(fit2)
```

summary.sd1rm

Summarizing a Modified Skew Discrete Laplace Regression Fit

Description

summary method for class "sd1rm".

Usage

```
## S3 method for class 'sdlrm'
summary(object, ...)

## S3 method for class 'summary.sdlrm'
print(x, digits = getOption("digits"), ...)
```

Arguments

object	an object of class "sdlrm", a result of a call to <code>sdlrm</code> .
...	further arguments passed to or from other methods.
x	an object of class "summary.sdlrm", a result of a call to <code>summary.sdlrm</code> .
digits	a non-null value for digits specifies the minimum number of significant digits to be printed in values.

Value

The function `summary.sdlrm` returns an object of class "summary.sdlrm", which consists of a list with the following components:

call the original function call, given in `object`.

mean summary statistics for the mean regression structure.

dispersion summary statistics for the dispersion regression structure.

xi the specified mode for the model.

phi.link the link function used for the dispersion parameter model.

residuals the randomized quantile residuals.

pR2 the pseudo-R2 for integer-valued regression models, as introduced by Medeiros and Bourguignon (2025).

logLik log-likelihood value of the fitted model.

AIC, BIC Akaike and Bayesian information criteria.

Author(s)

Francisco F. de Queiroz <<felipeq@ime.usp.br>>

Rodrigo M. R. de Medeiros <<rodrigo.matheus@ufrn.br>>

References

Medeiros, R. M. R., and Bourguignon, M. (2025). Modified skew discrete Laplace regression models for integer valued data with applications to paired samples. *Manuscript submitted for publication*.

Examples

```
# Data set: pss (for description run ?pss)
barplot(table(pss$difference), xlab = "PSS index difference", ylab = "Frequency")
boxplot(pss$difference ~ pss$group, xlab = "Group", ylab = "PSS index difference")

# Fit with a model only for the mean (mode = 1)
fit0 <- sdlrm(difference ~ group, data = pss, xi = 1)
summary(fit0)

# Fit a double model (mean and dispersion)
fit <- sdlrm(difference ~ group | group, data = pss, xi = 1)
summary(fit)
```

Index

- * **datasets**
 - pss, [9](#)
 - scint, [11](#)
- AIC.sdlrm (sdlrm-methods), [17](#)
- betareg.control, [19](#)
- choose_mode, [2](#), [17](#)
- coef.sdlrm (sdlrm-methods), [17](#)
- disp_test, [3](#), [17](#)
- dsdl (sdl), [12](#)
- envelope, [4](#), [17](#)
- formula, [18](#)
- logLik.sdlrm (sdlrm-methods), [17](#)
- model.frame, [15](#)
- model.frame.sdlrm (sdlrm-methods), [17](#)
- model.matrix.sdlrm (sdlrm-methods), [17](#)
- na.exclude, [15](#)
- na.fail, [15](#)
- na.omit, [15](#)
- optim, [16](#), [19](#), [20](#)
- options, [15](#)
- par, [7](#)
- plot.choose_mode (choose_mode), [2](#)
- plot.envelope (envelope), [4](#)
- plot.sdlrm, [6](#), [17](#)
- predict.sdlrm, [8](#), [17](#)
- print.choose_mode (choose_mode), [2](#)
- print.envelope (envelope), [4](#)
- print.sdlrm (sdlrm), [15](#)
- print.summary.sdlrm (summary.sdlrm), [20](#)
- psdl (sdl), [12](#)
- pss, [9](#)
- qsdl (sdl), [12](#)
- residuals.sdlrm, [10](#), [17](#)
- rsdl (sdl), [12](#)
- scint, [11](#)
- sdl, [12](#)
- sdl_control, [2](#), [16](#), [19](#)
- sdlrm, [2](#), [4–8](#), [10](#), [15](#), [18](#), [19](#), [21](#)
- sdlrm-methods, [17](#)
- summary.sdlrm, [17](#), [20](#)
- terms, [18](#)
- vcov.sdlrm (sdlrm-methods), [17](#)